

Date: 10/12/2023

## IRAN CHEMICAL INDUSTRIES INVESTMENT CO. (ICIIC) TECHNICAL DATA OF HEAVY END: PRODUCED BY ICIIC - ESFAHAN, IRAN

## Revision: 05 NO: T-41-118

PROPERTY	TEST METHOD	SPECIFICATION	TYPICAL VALUE
Density at 15.6°C,gr/cm <sup>3</sup>	ASTM D-4052	0.82- 0.84	0.8333
Saybolt Color	ASTM D-156	+15 min	+17
Water ,ppm	UOP 481	100 max	30
Flash Point ,°C	ASTM D-93	75 min	112
Pour Point ,°C	ASTM D-97	<-20	-26
Distillation Range :	ASTM D-86		
Initial Boiling Point ,°C		225 min	254
95% ,°C		250-270	267
Final Boiling Point ,°C		280 max	275

THIS PRODUCT IS MIX OF HYDROCARBONS (C14-C18).

OUR GUARANTEE IS LIMITED TO DELIVERY OF PRODUCT IN THE RANGE OF ABOVE SPECIFICATIONS.WE MAKE NO GUARANTEE FOR THE RESULTS OF HANDLING AND USE OF OUR PRODUCT BEYOND OUR CONTROL.

THE SPECIFICATION & INFORMATION OF OUR PRODUCT CONTAINED HEREIN ARE ACCURATE TO THE BEST OF OUR KNOWLEDGE.

TRIES INVEST Managing Director S. Zarandi (p.j.5)