


Linear Alkylbenzene



| SECTION 1 | IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING |
|----------------------------|---|
| Product name | Linear Alkylbenzene, LAB |
| Synonyms | Linear Alkyl (C ₁₀ -C ₁₃) benzene |
| Product Use | This high purity product is used primarily for the production of biodegradable detergents. |
| Company | Iran Chemical Industries Investment Co. (ICIIC) |
| Address | Western side of Montazeri Power Plant, Azadegan Highway (15 km northward), Esfahan, Iran. Tel.: +983133808350-7 |
| Emergency telephone number | +983133942428 |
| E-mail address | info@iciiclab.com |

SECTION 2 HAZARDS IDENTIFICATION



Hazard statements H304 May be fatal if swallowed and enters airways.

Precautionary statements

Response P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or

doctor/physician.

P333 do not induce vomiting.

Storage P405 Store locked up.

Disposal P501 Dispose of contents/ container to an approved waste disposal plant.

| SECTION 3 | COMPOSITION/INFORMATION ON INGREDIENTS | | |
|-------------------------------|--|-------------------------|---------------------------|
| Components | EC No. | CAS-No. | Weight percent |
| Benzene, C10-13-alkyl derivs. | 267-051-0 | 67774-74-7 | 92 Min |
| | See Section 8 for Classifications. | Exposure Guidelines and | Section 15 for Regulatory |

| SECTION 4 | FIRST AID MEASURES |
|--------------|---|
| Eye contact | Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. |
| Skin contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. |



Linear Alkylbenzene



| Inhalation | Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. In case of shortness of breath, give oxygen. Call a physician immediately. |
|--|---|
| Ingestion | If swallowed, call a poison control centre or doctor immediately. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. |
| SECTION 5 | FIREFIGHTING MEASURES |
| FLAMMABLE PROPERTIES | |
| Fire/explosion | May be ignited by open flame. NFPA Class IIIB combustible liquid. |
| Suitable extinguishing media | Water spray or fog, foam, dry chemical, CO ₂ |
| Protective equipment and precautions for firefighters | Wear self-contained breathing apparatus and protective suit. Keep containers and surroundings cool with water spray. |
| SECTION 6 | ACCIDENTAL RELEASE MEASURES |
| Methods and materials for containment and cleaning up | Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). |
| SECTION 7 | HANDLING AND STORAGE |
| | |
| Safe handling advice | Ensure all equipment is electrically grounded before beginning transfer operations. |
| Safe handling advice Storage/Transport pressure | |
| Storage/Transport | operations. |
| Storage/Transport pressure | operations. Ambient |
| Storage/Transport pressure Load/Unload temperature | operations. Ambient Ambient |
| Storage/Transport pressure Load/Unload temperature SECTION 8 | operations. Ambient Ambient EXPOSURE CONTROLS/PERSONAL PROTECTION |
| Storage/Transport pressure Load/Unload temperature SECTION 8 ENGINEERING MEASURES PERSONAL PROTECTIVE | operations. Ambient Ambient EXPOSURE CONTROLS/PERSONAL PROTECTION Ensure adequate ventilation, especially in confined areas. Wear as appropriate: Goggles, Face-shield |
| Storage/Transport pressure Load/Unload temperature SECTION 8 ENGINEERING MEASURES PERSONAL PROTECTIVE EQUIPMENT | operations. Ambient Ambient EXPOSURE CONTROLS/PERSONAL PROTECTION Ensure adequate ventilation, especially in confined areas. |
| Storage/Transport pressure Load/Unload temperature SECTION 8 ENGINEERING MEASURES PERSONAL PROTECTIVE EQUIPMENT Eyes | operations. Ambient EXPOSURE CONTROLS/PERSONAL PROTECTION Ensure adequate ventilation, especially in confined areas. Wear as appropriate: Goggles, Face-shield Wear suitable protective clothing, gloves and eye/face protection. Respiratory protection is normally not required except in emergencies or when conditions cause excessive airborne levels of mists or vapors. Use NIOSH |
| Storage/Transport pressure Load/Unload temperature SECTION 8 ENGINEERING MEASURES PERSONAL PROTECTIVE EQUIPMENT Eyes Skin | operations. Ambient EXPOSURE CONTROLS/PERSONAL PROTECTION Ensure adequate ventilation, especially in confined areas. Wear as appropriate: Goggles, Face-shield Wear suitable protective clothing, gloves and eye/face protection. Respiratory protection is normally not required except in emergencies or when |
| Storage/Transport pressure Load/Unload temperature SECTION 8 ENGINEERING MEASURES PERSONAL PROTECTIVE EQUIPMENT Eyes Skin Inhalation | operations. Ambient EXPOSURE CONTROLS/PERSONAL PROTECTION Ensure adequate ventilation, especially in confined areas. Wear as appropriate: Goggles, Face-shield Wear suitable protective clothing, gloves and eye/face protection. Respiratory protection is normally not required except in emergencies or when conditions cause excessive airborne levels of mists or vapors. Use NIOSH approved respiratory protection. |
| Storage/Transport pressure Load/Unload temperature SECTION 8 ENGINEERING MEASURES PERSONAL PROTECTIVE EQUIPMENT Eyes Skin Inhalation EXPOSURE GUIDELINES | operations. Ambient Ambient EXPOSURE CONTROLS/PERSONAL PROTECTION Ensure adequate ventilation, especially in confined areas. Wear as appropriate: Goggles, Face-shield Wear suitable protective clothing, gloves and eye/face protection. Respiratory protection is normally not required except in emergencies or when conditions cause excessive airborne levels of mists or vapors. Use NIOSH approved respiratory protection. Contains no substances with occupational exposure limit values. |
| Storage/Transport pressure Load/Unload temperature SECTION 8 ENGINEERING MEASURES PERSONAL PROTECTIVE EQUIPMENT Eyes Skin Inhalation EXPOSURE GUIDELINES | operations. Ambient Ambient EXPOSURE CONTROLS/PERSONAL PROTECTION Ensure adequate ventilation, especially in confined areas. Wear as appropriate: Goggles, Face-shield Wear suitable protective clothing, gloves and eye/face protection. Respiratory protection is normally not required except in emergencies or when conditions cause excessive airborne levels of mists or vapors. Use NIOSH approved respiratory protection. Contains no substances with occupational exposure limit values. |



Linear Alkylbenzene



Odour odourless

Odour Threshold no data available

> Flash point 120 °C (248°F) Min.

Upper explosion limit: no data available Lower explosion limit: no data **Flammability**

available

Boiling point/boiling

210 - 310 °C (410 - 590 °F) range

Auto-ignition temperature no data available

> Decomposition no data available

temperature

238-244 g/mol

Average Molecular weight

Vapour pressure 8.3 mm Hg @ 38 °C, 100 °F;

 $8 - 10 \text{ kg/m}^3$ Vapour density

> 0.8575-0.8700 g/cm³ @ 15.6°C (60°F) **Density**

Water solubility Insoluble

> Viscosity 7.8 c.St@ 20°C

> > no data available

Evaporation rate no data available Partition coefficient: no data available

n-octanol/water

Hazardous polymerisation

| SECTION 10 | STABILITY AND REACTIVITY |
|----------------------------------|---|
| Reactivity | Stable at normal ambient temperature and pressure. |
| Chemical stability | No decomposition if stored and applied as directed. |
| Conditions to avoid | Stable under recommended storage conditions. |
| Hazardous decomposition products | None. |
| Materials to avoid | Oxidizing agents |

SECTION 11 TOXICOLOGICAL INFORMATION

None.

Additional Remarks The product itself has not been tested. Information given is based on data obtained from similar substances. The following effects have been reported in

studies with animals exposed by a variety of routes to similar linear alkylbenzenes on a repeated basis: Decreased body weight, food consumption and maternal weight gain; effects on offspring (none at low dose); liver toxicity; increased tumors following lifetime dermal exposure at skin damaging concentrations (skin damage confounds the interpretation of

the significance of these effects for human health).

Acute dermal toxicity LD50 rabbit: > 2,000 mg/kg

Acute inhalation toxicity rat (1 hours): > 71 mg/l All rats survived at indicated concentration.

Revision Date: 07/11/2021 Version: 10 Page 3 of 8



Linear Alkylbenzene



Acute oral toxicity LD50 rat: > 5,000 mg/kg

Skin corrosion/irritation Primary irritation (rabbit): 1.4 (Max. score is 8.0.)

Eye damage/irritation Primary irritation (rabbit): 0.7 (Max. score is 110.) (unwashed eyes)

Respiratory or skin

sensitization

no data available

Germ cell mutagenicity Genotoxicity in vitro:

no data available

Genotoxicity in vivo:

no data available

Assessment Mutagenicity:

no data available

Reproductive toxicity Reproductive toxicity:

no data available

Assessment Reproductive toxicity:

no data available

Teratogenicity:

no data available

Assessment teratogenicity:

no data available

STOT - single exposure no data available

STOT - repeated exposure no data available

Aspiration toxicity no data available

Carcinogenicity Assessment carcinogenicity:

Contains no ingredient listed as a carcinogen

Aquatic toxicity
Not toxic to aquatic organisms (fish, daphnia, algae) up to water solubility.

Toxicity to fish

LC50 (Pimephales promelas (fathead minnow)) 96 hours
Test substance: Linear Alkylbenzene
In the range of water solubility not toxic under test conditions.
LC50 (Oncorhynchus mykiss (rainbow trout)) 96 hours
Test substance: Linear Alkylbenzene

In the range of water solubility not toxic under test conditions.



Linear Alkylbenzene



Toxicity to aquatic EC50 (Daphnia magna (Water flea)) 48 hours

invertebrates Test substance: Linear Alkylbenzene

In the range of water solubility not toxic under test conditions.

Toxicity to algae ErC50 (Desmodesmus subspicatus (green algae)) 72 hours

Test substance: Linear Alkylbenzene

In the range of water solubility not toxic under test conditions.

Chronic toxicity to fish no data available Chronic toxicity to no data available

aquatic invertebrates

no data available

Biodegradation Readily biodegradable.

> OECD Test Guideline 301F (28 d): 64 % Test substance: Linear Alkylbenzene

Bioaccumulation no data available

Mobility in soil no data available Other adverse effects

SECTION 13 DISPOSAL CONSIDERATIONS

Recover, where possible send to authorized disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national

regulations currently in forces.

Empty containers. Empty containers retain product residue (liquid and/or vapor) and can be

dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Empty drums should be completely drained, triple-rinsed, properly bunged and promptly returned to a

drum reconditioner, or properly disposed.

SECTION 14 TRANSPORT INFORMATION

CANADIAN TRANSPORTATION OF DANGEROUS GOODS (CTDG)

This product is not a dangerous good as defined by TDG for ground transportation.

U.S. DOT DESCRIPTION (ground transportation)

This product is not hazardous for ground transportation according to DOT regulations.

ICAO/IATA DESCRIPTION/IMO DESCRIPTION (IMDG CODE)

This product is not a dangerous good as defined by IATA for air transportation, IMO in the IMDG Code for water transportation.

ISIC Number 24113537 **UN Number** Not Regulated

SECTION 15 REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

Revision Date: 07/11/2021 Version: 10 Page 5 of 8



Linear Alkylbenzene



OSHA Hazards (HCS 1994)

Non-hazardous substance

TSCA Inventory Listing

ComponentsCAS-No.Benzene, C10-13-alkyl derivs.67774-74-7

SARA 302 Status

Components CAS-No. Weight percent

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 311/312 Classification

"Immediate (acute) health hazard"

SARA 313 Chemical

Components CAS-No. Weight percent

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

<u>Components</u> <u>Reportable Quantity</u> <u>Weight percent</u> none

INTERNATIONAL REGULATIONS

WHMIS Classification

WHMIS hazardous composition: No ingredients are hazardous according to the CPR criteria.

European Union

Classification according to Regulation (EU) 1272/2008.

Aspiration hazard, Category 1

Repeated exposure may cause skin dryness or cracking.

| Australia. Inventory of Chemical Substances (AICS) | Listed |
|--|--------|
|--|--------|

Japan. Inventory of Existing and New Chemical Substances (ENCS)

Listed

Japan. Industrial Safety & Health Law (ISHL) Inventory

Not listed

Canada. Domestic Substances List (DSL) Inventory

Listed

Canadian Non-Domestic Substance Listing (NDSL)

Not listed

European Inventory of Existing Commercial Chemical Substances (EINECS) Listing

Listed

Philippines. Inventory of Chemicals / Chemical Substances (PICCS)

Listed

Korea. Existing Chemicals Inventory (KECI)

Listed

China. Inventory of Existing Chemical Substances (IECSC)

Listed

Mexico. National Inventory of Chemical Substances (INSQ)

Not listed

New Zealand. Inventory of Chemicals (NZIoC)

Not listed



Linear Alkylbenzene



Switzerland. Inventory of Notified New Substances (CHINV)

Listed

Taiwan. National Existing Chemical Inventory (NECI)

Not listed

STATE REGULATIONS

California Prop. 65 Components none

CAS-No.

| OFOTION | 40 |
|---------|----|
| SECTION | 16 |

OTHER INFORMATION

HAZARD RATINGS

Physical Hazard/

<u>Health</u>

Flammability

Instability

NFPA

_____1

1

Abbreviations and Acronyms:

CAS: Chemical Abstracts Service (division of the American Chemical Society)

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

CFR: Code of Federal Regulations

CPR: Controlled Products Regulation

CTDG: Canadian Transportation of Dangerous Goods

DOT: Department Of Transportation

EC50: Median Effective Concentration required to induce a 50% effect

ErC50: EC50 in terms of reduction of growth rate

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

HMIS: Hazardous Materials Identification System

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

IMDG: International Maritime Code for Dangerous Goods

IMO: International Maritime Organization

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health

OECD: Office of Environmental Compliance and Documentation

OSHA: Occupational Safety & Health Administration



Linear Alkylbenzene



SARA: SuperFund Amendments & Reauthorization Act

STOT: Specific Target Organ Toxicity.

TSCA: United States Toxic Substances Control Act Inventory

US. EPA: United States Environmental Protection Agency

WHMIS: Workplace Hazardous Materials Information System

DISCLAIMER: THE DATA AND INFORMATION CONTAINED HEREIN ARE BEING FURNISHED FOR INFORMATIONAL PURPOSES ONLY, UPON THE EXPRESS CONDITION THAT EACH CUSTOMER SHALL MAKE ITS OWN ASSESSMENT OF APPROPRIATE USE AND APPROPRIATE SHIPPING, TRANSFER AND STORAGE MATERIALS AND PROCEDURES FOR ICIIC (IRAN) PRODUCTS. ALTHOUGH BASED ON INFORMATION SOURCES WHICH ICIIC (IRAN) CONSIDERS ACCURATE AND RELIABLE, ICIIC (IRAN) MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, REGARDING THE VALIDITY OF THIS INFORMATION, THE INFORMATION SOURCES UPON WHICH THE SAME ARE BASED, OR THE RESULTS TO BE OBTAINED, AND EXPRESSLY DISCLAIMS LIABILITIES FOR DAMAGES OR INJURIES RESULTING FROM THE USE THEREOF.