



ICIC

شرکت سرمایه‌گذاری صنایع شیمیایی ایران
IRAN CHEMICAL INDUSTRIES INVESTMENT CO

Completing the Remaining Documents of
Design and Engineering Services for LAB2 Unit

FIRE STATION NO.2 HVAC MATERIAL TAKE OFF



شرکت طرح نواندیشان

Contract No.: 6258

LRP

TNA

HV

15

MTO

0001

03

OLD Doc No.: ---

Doc No. :

LRP-TNA-HV-99-MRQ-0002

Page 1 of 9

FIRE STATION NO.2 HVAC MATERIAL TAKE OFF

03	12-Jan-2024	FIN	H.R	H.R	A.JAVADZADEH
02	03-Dec-2023	Issued for Information	H.R	H.R	AR. AHOOEI
01	29-Jul-2023	Issued for Information	H.R	H.R	AR. AHOOEI
00	12-May-2023	Issued for Information	H.R	H.R	AR. AHOOEI
REV	DATE	POI	Prepared By	Checked By	Approved By

 ICIC شرکت سرمایه‌گذاری صنایع شیمیایی ایران IRAN CHEMICAL INDUSTRIES INVESTMENT CO	Completing the Remaining Documents of Design and Engineering Services for LAB2 Unit							 شرکت طرح نواندیشان
	FIRE STATION NO.2 HVAC MATERIAL TAKE OFF							
Contract No.: 6258	Pro. Cod	Cons.	Discipline	Unit	Type	Serial	Rev	Page 3 of 9
---	LRP	TNA	HV	15	MTO	0001	03	
OLD Doc No.:		Doc No. :		LRP-TNA-HV-99-MRQ-0002				

Table of Contents

1	INTRODUCTION	4
2	PURPOSE	4
3	BULK MATERIAL TAKE OFF.....	5

 ICIIC شرکت سرمایه‌گذاری صنایع شیمیایی ایران <small>IRAN CHEMICAL INDUSTRIES INVESTMENT CO</small>	Completing the Remaining Documents of Design and Engineering Services for LAB2 Unit							 شرکت طرح نواندیشان
	FIRE STATION NO.2 HVAC MATERIAL TAKE OFF							
Contract No.: 6258	Pro. Cod	Cons.	Discipline	Unit	Type	Serial	Rev	Page 4 of 9
---	LRP	TNA	HV	15	MTO	0001	03	
OLD Doc No.:	Doc No. :		LRP-TNA-HV-99-MRQ-0002					

1 INTRODUCTION

Iran Chemical Industries Investment Company (ICIIC) was established in 1984. The executive operation in the area of 3,420,000 square meters in the northwest industrial region of Isfahan began in 1990 to create a Linear Alkyl Benzene (LAB) Complex with 50,000 tons of LAB and 46,000 tons of normal paraffin capacity.

With the increase in domestic consumption and also the improvement of the consumer market in the region, the implementation of the company's development plan for the annual production of 75,000 tons of linear alkyl benzene and 140,000 tons of normal paraffin was strengthened. Utilizing the existing knowledge and applying the scientific and experimental skills of the specialized forces, this company succeeded in successfully completing its development plan in 2003. Iran Chemical Industries Investment Company to reduce the production of Heavy Alkylate By-product (HAB) and also to improve the quality and increase the production of alkyl benzene line (LAB) in cooperation with Sinopec company to successfully operate the selective Hydrogenation of Dyalphins (DSH) in 2008.

2 PURPOSE

The purpose of this document is to list all materials of the heating, ventilation and air conditioning and plumbing system, to serve FIRE STATION NO.2 OF "LAB2 UNIT" in SHAHIN-SHAHR , ISFAHAN , IRAN:

 ICIC شرکت سرمایه‌گذاری صنایع شیمیایی ایران IRAN CHEMICAL INDUSTRIES INVESTMENT CO	Completing the Remaining Documents of Design and Engineering Services for LAB2 Unit							 شرکت طرح نواندیشان	
	FIRE STATION NO.2 HVAC MATERIAL TAKE OFF								
Contract No.: 6258	Pro. Cod	Cons.	Discipline	Unit	Type	Serial	Rev	Page 5 of 9	
OLD Doc No.: ---	LRP	TNA	HV	15	MTO	0001	03		
Doc No. :		LRP-TNA-HV-99-MRQ-0002							

3 BULK MATERIAL TAKE OFF

NO	DESCRIPTION	UNIT	Q'TY	REMARK
1	DUCT WORK			
1.1	SHEET METAL			
	GALVANIZED STEEL SHEET METAL, ASTM A653M, COATING ZZ75, ASTM A924M THICKNESS = 0.6 MM	m ²	80	
1.2	INSULATION			
	Glass wool with aluminum foil covering for supply & return indoor duct insulation ,with 25 mm thickness , glass wool with 24 kg/m ³ density minimum having thermal conductivity of 0.036 w/mk or less at mean temperature of 24°c with aluminum foil reinforced craft facing.	m ²	80	
1.3	WEATHER PROTECTION			
	ALUMINIUM SHEET FOR WEATHER PROTECTION OF OUTDOOR INSULATION, 0.4 MM. THICKNESS.	m ²	40	
1.4	FLEX CONNECTION			
	PVC FABRIC ON CANVAS FOR ROOF TOP PACKAGED UNITS DUCTS CONNECTIONS	m ²	1.5	
1.5	AIR DEVICE			
	4WAY ALUMINIUM SQUARE DIFFUSER WITH DAMPER 300MM X 225 MM	QTY	2	
	4WAY ALUMINIUM SQUARE DIFFUSER WITH DAMPER 600 MM X 450 MM	QTY	3	
	3WAY ALUMINIUM SQUARE DIFFUSER WITH DAMPER 300 MM X 225 MMM	QTY	1	
	ALUMINIUM RETURN GRILLE 450 MM X 300 MM	QTY	1	
	ALUMINIUM RETURN GRILLE 600 MM X 450MM	QTY	1	
1.6	SAND TRAP			
	ALUMINIUM SAND TRAP LOUVER 1.5 mm thickness 1750 MM X 1000 MM	QTY	3	
1.7	VOLUME DAMPER			

 ICIC شرکت سرمایه‌گذاری صنایع شیمیایی ایران <small>IRAN CHEMICAL INDUSTRIES INVESTMENT CO</small>	Completing the Remaining Documents of Design and Engineering Services for LAB2 Unit							 شرکت طرح نواندیشان
	FIRE STATION NO.2 HVAC MATERIAL TAKE OFF							
	Pro. Cod	Cons.	Discipline	Unit	Type	Serial	Rev	
Contract No.: 6258	LRP	TNA	HV	15	MTO	0001	03	Page 6 of 9
OLD Doc No.: ---	Doc No. : LRP-TNA-HV-99-MRQ-0002							

NO	DESCRIPTION	UNIT	Q'TY	REMARK
	VOLUME DAMPER, OPPOSED BLADE, DAMPER CASING & BLADE FABRICATED OF 1.6MM STEEL 300 MM X 200 MM	QTY	1	
1.8	MOTORIZED DAMPER			
	MOTORIZED DAMPER, ACCORDING TO THE HVAC EQUIPMENT SPECIFICATION (DIMENSIONS SHALL BE SUPPLY BY VENDOR)	QTY	3	
1.9	MOTORIZED FIRE DAMPER			
	MOTORIZED FIRE DAMPER, FRAMES AND BLADES FABRICATED OF HOT DIPPED GALVANIZED, ACTUATED WITH FUSIBLE LINK WHICH SHALL BE SET FOR 70 DEG C AND LEAKAGE RATE SHALL NOT EXCEED 0.03 M3/S.M2 AREA OF DAMPER AT 2000 Pa DIFFERENTIAL PRESSURE. (ACCORDING TO THE HVAC EQUIPMENT SPECIFICATION) 550 MM X 400 MM	QTY	1	
	MOTORIZED FIRE DAMPER, FRAMES AND BLADES FABRICATED OF HOT DIPPED GALVANIZED, ACTUATED WITH FUSIBLE LINK WHICH SHALL BE SET FOR 70 DEG C AND LEAKAGE RATE SHALL NOT EXCEED 0.03 M3/S.M2 AREA OF DAMPER AT 2000 Pa DIFFERENTIAL PRESSURE. (ACCORDING TO THE HVAC EQUIPMENT SPECIFICATION) 550 MM X 350 MM	QTY	1	
1.10	DUCT SUPPORT			
	DUCT SUPPORT	KG	300	
2	PLUMBING			
2.1	PIPE			
	PEX-AL-PEX, ANSI/ASTM F1281/F2262 20 mm	m	100	
	PEX-AL-PEX, ANSI/ASTM F1281/F2262 25 mm	m	10	
	PEX-AL-PEX, ANSI/ASTM F1281/F2262 32 mm	m	25	
	PEX-AL-PEX, ANSI/ASTM F1281/F2262 40 mm	m	10	
	HOT-DIPPED GALVANIZED ACCORDING TO STANDARD ASTM/ANSI A-53	m	10	

 ICIC شرکت سرمایه‌گذاری صنایع شیمیایی ایران <small>IRAN CHEMICAL INDUSTRIES INVESTMENT CO</small>	Completing the Remaining Documents of Design and Engineering Services for LAB2 Unit							 شرکت طرح نواندیشان
	FIRE STATION NO.2 HVAC MATERIAL TAKE OFF							
	Pro. Cod	Cons.	Discipline	Unit	Type	Serial	Rev	
Contract No.: 6258	LRP	TNA	HV	15	MTO	0001	03	Page 7 of 9
OLD Doc No.: ---	Doc No. : LRP-TNA-HV-99-MRQ-0002							

NO	DESCRIPTION	UNIT	Q'TY	REMARK
2.2	PIPE INSULATION			
	25mm THICKNESS ELASTOMERIC MATERIAL (EPDM) COVERED BY VAPOR BARRIER PLUS ALUMINUM CLADDING. 20mm PIPE	m	40	
	25mm THICKNESS ELASTOMERIC MATERIAL (EPDM) COVERED BY VAPOR BARRIER PLUS ALUMINUM CLADDING. 25mm PIPE	m	5	
	25mm THICKNESS ELASTOMERIC MATERIAL (EPDM) COVERED BY VAPOR BARRIER PLUS ALUMINUM CLADDING. 32mm PIPE	m	10	
2.3	GATE VALVE			
	GATE VALVE, BRONZE BODY, THREADED END, CLASS 150LB 1/2"	QTY	5	
	GATE VALVE, BRONZE BODY, THREADED END, CLASS 150LB 3/4"	QTY	6	
	GATE VALVE, BRONZE BODY, THREADED END, CLASS 150LB 1"	QTY	2	
	GATE VALVE, BRONZE BODY, THREADED END, CLASS 150LB 1,1/4"	QTY	16	
	GATE VALVE, BRONZE BODY, THREADED END, CLASS 150LB 2,1/2"	QTY	8	
2.4	CHECK VALVE			
	CHECK VALVE, BRONZE BODY, THREADED END, CLASS 150LB 1/2"	QTY	3	
	CHECK VALVE, BRONZE BODY, THREADED END, CLASS 150LB 3/4"	QTY	1	
	CHECK VALVE, BRONZE BODY, THREADED END, CLASS 150LB 1"	QTY	1	
	CHECK VALVE, BRONZE BODY, THREADED END, CLASS 150LB 1,1/4"	QTY	4	
	CHECK VALVE, BRONZE BODY, THREADED END, CLASS 150LB 2,1/2"	QTY	4	
2.5	GLOBEVALVE			
	GLOBE VALVE, BRONZE BODY, THREADED END, CLASS 150LB 1/2"	QTY	6	
	GLOBE VALVE, BRONZE BODY, THREADED END, CLASS 150LB 3/4"	QTY	8	
	GLOBE VALVE, BRONZE BODY, THREADED END, CLASS 150LB 1"	QTY	2	
	GLOBE VALVE, BRONZE BODY, THREADED END, CLASS 150LB 1,1/4"	QTY	12	
	GLOBE VALVE, BRONZE BODY, THREADED END, CLASS 150LB 2,1/2"	QTY	5	
2.5	BALL VALVE			

 ICIC شرکت سرمایه‌گذاری صنایع شیمیایی ایران <small>IRAN CHEMICAL INDUSTRIES INVESTMENT CO</small>	Completing the Remaining Documents of Design and Engineering Services for LAB2 Unit							 شرکت طرح نواندیشان
	FIRE STATION NO.2 HVAC MATERIAL TAKE OFF							
Contract No.: 6258	Pro. Cod	Cons.	Discipline	Unit	Type	Serial	Rev	Page 8 of 9
OLD Doc No.: ---	LRP	TNA	HV	15	MTO	0001	03	
Doc No. :			LRP-TNA-HV-99-MRQ-0002					

NO	DESCRIPTION	UNIT	Q'TY	REMARK
	BALL VALVE, BRONZE BODY, THREADED END, CLASS 150LB 1/2"	QTY	22	
2.6	PLUMBING APPURTENANCES			
	CHROMIUM ISOLATION VALVE, 3/8" DIAMETER	QTY	10	
	FLOOR DRAIN, PVC, SQUARE SHAPE, WITH SIPHON 10x10 CM, WITH PVC PLATE AND SIPHON, 3" DIA. DISCHARGE	QTY	3	
	FLOOR DRAIN, PVC, SQUARE SHAPE, WITH SIPHON 15x15 CM, WITH PVC PLATE AND SIPHON, 4" DIA. DISCHARGE	QTY	3	
	RAIN DRAIN, CAST IRON, SQUARE SHAPE, WITH SIPHON 15x15 CM, WITH PVC PLATE AND SIPHON, 4" DIA. DISCHARGE	QTY	8	
	LAVATORY WITH 1/2" CHROMIUM MIXING VALVE BOWL MOUNTED, 3/8" CHROMIUM ISOLATION VALVES, SIPHON AND OTHER ACCESSORIES	QTY	2	
	EASTERN WATER CLOSET WITH PVC FLUSH TANK, 1/2" CHROMIUM MIXING VALVE WALL MOUNTED WITH HOSE, 3/8" CHROMIUM ISOLATION VALVES AND OTHER ACCESSORIES	QTY	1	
	PANTRY SINK FABRICATED OF STAINLESS-STEEL SHEET DOUBLE BOWL WITH 1/2" CHROMIUM MIXING VALVE 3/8" CHROMIUM ISOLATION VALVES SIPHON AND OTHER ACCESSORIES	QTY	1	
	SHOWER WITH 1/2" FLEXIBLE HOSE.	QTY	1	
	JANITOR CLOSET PVC TYPE WITH 1/2" WALL MOUNTED MIXING VALVE, SIPHON AND OTHER ACCESSORIES	QTY	1	
	FLOOR CLEAN OUT 4"	QTY	9	
2.7	PIPE SUPPORT			
	PIPE SUPPORT	KG	250	
3	HVAC PIPING			
3.1	PIPE			
	BLACK STEEL PIPE, ASTM A53 ,1-1/4"	m	100	
	BLACK STEEL PIPE, ASTM A53 ,1-1/2"	m	30	
	BLACK STEEL PIPE, ASTM A53 ,2-1/2"	m	20	

 ICIC شرکت سرمایه‌گذاری صنایع شیمیایی ایران IRAN CHEMICAL INDUSTRIES INVESTMENT CO	Completing the Remaining Documents of Design and Engineering Services for LAB2 Unit							 شرکت طرح نواندیشان
	FIRE STATION NO.2 HVAC MATERIAL TAKE OFF							
Contract No.: 6258	Pro. Cod	Cons.	Discipline	Unit	Type	Serial	Rev	Page 9 of 9
OLD Doc No.: ---	LRP	TNA	HV	15	MTO	0001	03	
Doc No. :		LRP-TNA-HV-99-MRQ-0002						

NO	DESCRIPTION	UNIT	Q'TY	REMARK
	BLACK STEEL PIPE, ASTM A53 3"	m	20	
3.5	3WAY MOTORIZED VALVE			
	3WAY MOTORIZED VALVE, ACCORDING TO THE HVAC EQUIPMENT SPECIFICATION (DIMENSIONS SHALL BE SUPPLY BY VENDOR)	QTY	1	
3.6	PIPE INSULATION			
	25mm THICKNESS ELASTOMERIC MATERIAL (EPDM) COVERED BY VAPOR BARRIER PLUS ALUMINUM CLADDING. 1-1/4" PIPE	m	100	
	25mm THICKNESS ELASTOMERIC MATERIAL (EPDM) COVERED BY VAPOR BARRIER PLUS ALUMINUM CLADDING. 1-1/2" PIPE	m	30	
	25mm THICKNESS ELASTOMERIC MATERIAL (EPDM) COVERED BY VAPOR BARRIER PLUS ALUMINUM CLADDING. 2-1/2" PIPE	m	20	
	25mm THICKNESS ELASTOMERIC MATERIAL (EPDM) COVERED BY VAPOR BARRIER PLUS ALUMINUM CLADDING. 3" PIPE	m	20	
3.7	PIPE SUPPORT			
	PIPE SUPPORT	KG	200	
4	SEWAGE			
4.1	PIPE			
	UPVC pipes Schedule 80, ASTM D1785 or PE (polyethylene) O.D.=63 mm	m	40	
	UPVC pipes Schedule 80, ASTM D1785 or PE (polyethylene) O.D.=90 mm	m	10	
	UPVC pipes Schedule 80, ASTM D1785 or PE (polyethylene) O.D.=110 mm	m	150	
4.2	PIPE SUPPORT			
	PIPE SUPPORT	KG	60	